

```

1 <?xml version='1.0'?>
2 <xsl:stylesheet xmlns:xsl="http://www.w3.org/1999/XSL/Transform">
3 <xsl:param name="doc-file"/>
4 <xsl:param name="currentLocale"/>
5 <xsl:template match="text()|@*">
6 <xsl:value-of select="."/>
7 </xsl:template>
8 <xsl:template match="*"|node() " priority="1">
9 <xsl:copy>
10 <xsl:copy-of select="@*" />
11 <xsl:apply-templates/>
12 </xsl:copy>
13 </xsl:template>
14 <xsl:template match="/">
15 <xsl:apply-templates/>
16 </xsl:template>
17 <xsl:template match="*"[@nlsid] " priority="5">
18 <xsl:copy>
19 <xsl:copy-of select="@*" />
20 <xsl:apply-templates select="."/*" />
21 <xsl:variable name="mykey" select="@nlsid" />
22 <xsl:choose>
23 <xsl:when test="document($doc-file)/locale/*[name()=$mykey]">
24 <xsl:value-of select="document($doc-file)/locale/*[name()=$mykey]"/>
25 </xsl:when>
26 <xsl:otherwise>
27 <xsl:value-of select="."/>
28 </xsl:otherwise>
29 </xsl:choose>
30 </xsl:copy>
31 </xsl:template>
32 </xsl:stylesheet>
33

```

Fig. 1

Fig. 2




Fig. 3




Fig. 4





Fig. 5



```

1 <html>
2 <head>
3   <xml id="login">
4     <login>
5       <userid>menke</userid>
6     </login>
7   </xml>
8   <!-- This is just some comments -->
9 </head>
10 <body onload="registercallbacks()">
11   <div nlsid="openDescription"/>
12   <form id="login">
13     <label nlsid="userid"/>
14     <input type="text" dataSrc="login" dataFld="userid"/>
15     <br/>
16     <label nlsid="password"/>
17     <input type="text" dataSrc="login" dataFld="password"/>
18     <br/>
19     <button nlsid="loginbutton" type="submit" onclick="loginHandler()" />
20   <p/>
21   <div nlsid="description"/>
22   <ol>
23     <li nlsid="chqpwd"/>
24     <li nlsid="updateAddress"/>
25   </ol>
26   </form>
27 </body>
28 </html>

```

Fig. 6

```

1 <?xml version="1.0" ?>
2 <?xml-stylesheet type="text/xsl"?>
3 <locale>
4 <openDescription>
5 <en-us>Welcome to the Address Book Demo</en-us>
6 <de>Something in German</de>
7 </openDescription>
8 <userid>
9 <en-us>User Name</en-us>
10 <de>Benutzername</de>
11 </userid>
12 <password>
13 <en-us>Password</en-us>
14 <de>Passwort</de>
15 </password>
16 <loginbutton>
17 <en-us>Logon</en-us>
18 <de>Anmelden</de>
19 </loginbutton>
20 <description>
21 <en-us>Once you have logged on you can do the following :</en-us>
22 <de>Something in German</de>
23 </description>
24 <chgpwd>
25 <en-us>Change your Password</en-us>
26 <de>Something in German</de>
27 </chgpwd>
28 <updateAddress>
29 <en-us>Update your AddressBook</en-us>
30 <de>Something in German</de>
31 </updateAddress>
32 </locale>

```

Fig. 7

```

1  <html>
2  <head>
3  <xml id="logon">
4    <logon>
5      <userid>menke</userid>
6    </logon>
7  </xml>
8
9  </head>
10 <body onload="registercallbacks()">
11 <div nlsid="openDescription">Something in German</div>
12 <form id="logon">
13   <label nlsid="userid">Benutzername</label>
14   <input type="text" dataSrc="logon" dataFld="userid">
15   <br>
16   <label nlsid="password">Passwort</label>
17   <input type="text" dataSrc="logon" dataFld="password">
18   <br>
19   <button nlsid="logonbutton" type="submit" onclick="logonHandler()">Anmelden</button>
20 <p>
21 </p>
22 <div nlsid="description">Something in German</div>
23 <ol>
24   <li nlsid="chgpwd">Something in German</li>
25   <li nlsid="updateaddress">Something in German</li>
26 </ol>
27 </form>
28 </body>
</html>

```

Fig. 8